



2022 Product Catalogue



Quality products . Reliable supply. Great service.

irvingoil.com/blending-packaging/cobra

Hydraulic Oil

Cobra Hydraulic Oils are designed for low and medium-duty hydraulic systems. They are formulated with anti-wear additives that provide wear and corrosion protection and good oxidation resistance.



Sizes & Order Codes

Size	22	32	46	68
18.9 L / 5 US Gal	FBB0012240	FBB0011740 FBB0002340*	FBB0011840	FBB0011940
205 L / 54.2 US Gal	-	FBB0011750	FBB0011850	-
1000 L / 264 US Gal	-	FBB0011760	FBB0011860	-
1000 L / 264 US Gal Bulk Tote	-	FBB0012301	FBB0011801 FBB0014960*	FBB0012401
Bulk	BB0012201	BB0011701	BB0011801	BB0011901

* Indicates the hydraulic oil is dyed red

Cobra UTF

Cobra UTF (Universal Tractor Fluid) is a multi-application lubricant for transmissions, differentials, final drive planetary gears, wet brakes and hydraulic systems of farm tractors and construction equipment having a common fluid reservoir.



Sizes & Order Codes

Size	UTF
18.9 L / 5 US Gal	FBB0008440
1000 L / 264 US Gal Tote	FBB0008460
Bulk	BB0008401

Form Oils

Cobra Form Oils are blended with high quality paraffinic base oils and a fatty substance designed for use as a form-releasing agent with rust-preventive coating.



Sizes & Order Codes

Size	Cobra Form Oil 26	Cobra Form Oil 40
1000 L / 264 US Gal	FBB0013760	-
1000 L / 264 US Gal Bulk Tote	FBB0013701	FBB0014401
Bulk	-	BB0014401



Process Oils



Cobra Process Oils are high-quality, refined paraffinic mineral and polyalphaolefin (PAO) oils, containing no additives, available in different base oil groups and viscosity grades.

Sizes & Order Codes

Size	S4	S8	GROUP II+ 4	Cobra 4
1000 L / 264 US Gal	FBB0008260	FBB0010360	FBB0011460	FBB0013060

Chain & Saw Oil



Cobra Bar & Chain Oil



Cobra Bar & Chain Oils have been formulated for heavy-duty chain-saw use. This product is available in four different grades: light (winter), medium (mid-season), heavy (summer) and a high viscosity 250.

Sizes & Order Codes

Size	Light	Medium	Heavy	High Viscosity 250
3.78 L / 1 US Gal	FBB0011226	FBB0011326	FBB0010926	FBB0012926
18.9 L / 5 US Gal	FBB0011240	-	FBB0010940	FBB0012940
205 L / 54.2 US Gal	FBB0011250	-	FBB0010950	-
1000 L / 264 US Gal	FBB0011260	FBB0011360	*FBB0014360 NO DYE	-
1000 L / 264 US Gal Bulk Tote	FBB0011201	FBB0011301	FBB0010901	-

* Order Code with no dye

Saw Guide Oil



Cobra Saw Guide Oil has been formulated for heavy-duty use on saw blades and guides in mill applications. It is extremely tacky, helping oil stick to the surface and resist dripage or throw-off.

Sizes & Order Codes

Size	Saw Guide Oil
1000 L / 264 US Gal	FBB0010460



All Season Engine Oil



Cobra All Season Engine Oils have been formulated to exceed the performance requirements of the latest API SP and ILSAC GF-6A specifications. These formulations have superior oxidation resistance and fuel economy performance.

Sizes & Order Codes

Size	5W-20	5W-30	10w-30
946 mL / 1 US Qt	FBB0014515	FBB0014615	FBB0014715
1000 L / 264 US Gal	FBB0014560	FBB0014660	-
1000 L / 264 US Gal Bulk	FBB0014501	FBB0014801	-
Bulk	BB0014501	BB0014601	-

Heavy Duty Diesel Oils



Diesel 10W



Cobra Diesel 10W Monograde Motor Oil is blended from select high-viscosity base stocks and low-ash additives. This formulation has added detergent to ensure engine cleanliness, minimized ring-sticking and reduced liner-scuffing.

Sizes & Order Codes

Size	DIESEL 10W
18.9 L / 5 US Gal	FBB0009940



Cobra ATF

Cobra ATF is specially formulated for use in automatic transmissions manufactured in 2005 and earlier for General Motors, Ford, and Chrysler vehicles. Cobra ATF meets the requirements of more than 27 different specifications



Sizes & Order Codes

Size	Cobra ATF
946 mL / 1 US Qt	FBB0000315
18.9 L / 5 US Gal	FBB0008840

Automotive Gear Lubricants



Cobra DIFF

Cobra DIFF is an extreme pressure (EP) automotive gear lubricant. It is designed to be effective at providing protection against rust corrosion and foam and reducing the formation of sludge and deposits.



Sizes & Order Codes

Size	Cobra DIFF
946 mL / 1 US Qt	FBB0000315

Diesel Exhaust Fluid



Cobra DEF

Cobra DEF is an API-certified 32.5% aqueous urea solution manufactured with technically pure urea and deionized water designed to meet the specifications of ISO 22241-1:2019.



Sizes & Order Codes

Size	Diesel Exhaust Fluid
9.46 L / 2.5 US Gal	FBB0011610



Contact us:

Would you like to learn more? We'd love to hear from you.

Sales: 1.800.574.5823 • lubricantsales@irvingoil.com

Technical expertise or Safety Data Sheets (SDS): labservices@irvingoil.com